CDX Tasksheet Number: MHT2D003

Student/Intern Info	ormation			
Name		Date	Class	
Vehicle, Customer, and Service Information				
Vehicle used for thi	s activity:			
Year	_ Make		Model	
Odometer		VIN		
Materials Req	uired			

- Vehicle with possible driveshaft and universal joint concerns
- Vehicle manufacturer's repair information
- Manufacturer-specific tools depending on the concern/procedure(s)

Task-Specific Safety Considerations

- · Activities may require test-driving the vehicle on the school grounds or on a hoist, both of which carry severe risks. Attempt this task only with full permission from your supervisor/ instructor, and follow all the guidelines exactly.
- Comply with personal and environmental safety practices associated with clothing; eye protection; hand tools; power equipment; proper ventilation; and the handling, storage, and disposal of chemicals/materials in accordance with federal, state, and local regulations.
- Always wear the correct protective eyewear and clothing and use the appropriate safety equipment, as well as fender covers, seat protectors, and floor mat protectors.
- Make sure you understand and observe all legislative and personal safety procedures when carrying out practical assignments. If you are unsure of what these are, ask your supervisor/ instructor.
- While working on the vehicle, wheel chocks must be placed on both sides of one set of tires or as directed by your supervisor/instructor.
- Exhaust evacuation hoses must be placed over exhaust outlets while the engine is used in the confined shop space.

▶ TASK	Inspect the driveshaft center support bearings and mounts; determ	ine
	needed action.	MTST
		II D 3. P1

Student Instructions: Read through the entire procedure prior to starting. Prepare your workspace and any tools or parts that may be needed to complete the task. When directed by your supervisor/instructor, begin the procedure to complete the task and check the box as each step is finished.

Time off
Time on
Total time

Procedure:	Step Completed
Reference the appropriate workshop manual. (Note: Center support bearings are required when driveshaft lengths exceed 5 1/2". If driveshaft lengths are exceeded, premature failure or catastrophic failure will occur.)	
2. Safely raise the vehicle on an approved lift. Inspect the center bearing components for any major defects, such as looseness or noises.	
3. Inspect the center bearing for proper mounting.	
4. Inspect the bearing mount rubber insert for dry rotting and cracking.	
5. If the bearing must be replaced, follow the manufacturer's specifications and procedures for proper installation of a new bearing.	
a. Mount the driveshaft in an approved vice.	
b. Mark the shafts so they may be properly phased when put back together.	
c. Separate the two driveshafts.	
d. Remove the U-shaped metal mounting bracket.	
e. Remove the rubber mount from around the center bearing.	
f. Remove any snap rings or circlips that may be holding the bearing in place.	
g. Use an appropriate puller or press to remove the bearing from the driveshaft.	
h. Check the splines on the slip yoke for any defects.	
i. Check the slip yoke on the mating shaft for wear and defects.	
j. Press on a new bearing.	
k. Reinstall any necessary snap rings or circlips.	

6. Install a new rubber mount around the new bearing. Reinstall the mounting bracket.	
7. Put the two shafts back together, paying attention to driveshaft phasing.	
8. Remove the driveshaft from the vice and reinstall it in the vehicle.	
9. Return the vehicle to its beginning condition, and return any tools you used to their proper locations.	
10. Discuss your findings with your supervisor/instructor.	
Non-Task-Specific Evaluations:	Step Completed
Non-Task-Specific Evaluations: 1. Tools and equipment were used as directed and returned in good working order.	
Tools and equipment were used as directed and returned in good working	
Tools and equipment were used as directed and returned in good working order. Complied with all general and task-specific safety standards, including	Completed
 Tools and equipment were used as directed and returned in good working order. Complied with all general and task-specific safety standards, including proper use of any personal protection equipment (PPE). Completed the task in an appropriate time frame (recommendation: 1.5 or 	Completed
 Tools and equipment were used as directed and returned in good working order. Complied with all general and task-specific safety standards, including proper use of any personal protection equipment (PPE). Completed the task in an appropriate time frame (recommendation: 1.5 or 2 times the flat rate). 	Completed
1. Tools and equipment were used as directed and returned in good working order. 2. Complied with all general and task-specific safety standards, including proper use of any personal protection equipment (PPE). 3. Completed the task in an appropriate time frame (recommendation: 1.5 or 2 times the flat rate). 4. Left the workspace clean and orderly. 5. Cared for customer property and returned it undamaged. Student signature	
 Tools and equipment were used as directed and returned in good working order. Complied with all general and task-specific safety standards, including proper use of any personal protection equipment (PPE). Completed the task in an appropriate time frame (recommendation: 1.5 or 2 times the flat rate). Left the workspace clean and orderly. Cared for customer property and returned it undamaged. 	
 Tools and equipment were used as directed and returned in good working order. Complied with all general and task-specific safety standards, including proper use of any personal protection equipment (PPE). Completed the task in an appropriate time frame (recommendation: 1.5 or 2 times the flat rate). Left the workspace clean and orderly. Cared for customer property and returned it undamaged. 	
1. Tools and equipment were used as directed and returned in good working order. 2. Complied with all general and task-specific safety standards, including proper use of any personal protection equipment (PPE). 3. Completed the task in an appropriate time frame (recommendation: 1.5 or 2 times the flat rate). 4. Left the workspace clean and orderly. 5. Cared for customer property and returned it undamaged. Student signature	

Evaluation Instructions: The scoring box below is intended to act as a guide for both student and supervisor/instructor. Each criterion listed will help students to understand what is expected of them and help supervisors/instructors to articulate the level of success at a particular task. The scoring is set up to allow a second attempt at each task (see the Test and Retest columns). Scoring is also designed only to award students points for task criteria that were completed correctly. Points are lost for failure to complete the employability requirements (see Non-Task-Specific Evaluation criteria). When all criteria are evaluated, tally the points for a total at the bottom of each column.

Tasksheet Scoring

	Test		Retest	
Evaluation Items	Pass	Fail	Pass	Fail
Task-Specific Evaluation	(1 pt)	(O pts)	(1 pt)	(O pts)
Student detailed the 3 Cs on the submitted repair order.				
Student used manufacturer's repair information.				
Student performed diagnostic measurements properly and made appropriate conclusions.				
Student completed repairs as directed by the supervisor/instructor.				
Non-Task-Specific Evaluation	(O pts)	(-1 pt)	(O pts)	(-1 pt)
Student successfully completed at least three of the non-task-specific steps.				
Student successfully completed all five of the non-task-specific steps.				
Total Score: <total #="" 4="%" of="" points=""></total>				

Supervisor/Instructor:	
Supervisor/instructor signature	. Date
Comments:	
Retest supervisor/instructor signature	Date
Comments:	